Journal of Surgery and Surgical Case Reports

ISSN: 2694-4944

Review Article

Homeopathic Dilutions of Mercury Chloride as an Effective and Affordable Treatment for SARS-CoV-2

Masshiro Tamijia^{1*}, Helmuth Putzenstofenb², Cippa Lippaa¹ and Guido Pancaldic³

¹Inchiki Institute, Japan

²Department of Homeopathy, School of Medical Science, Germany

³Department of Quantum Molecular Science, University of Bugliano, Italy

Abstract

As of June 12, 2020, Corona Virus Disease 2019 (COVID-19) has been confirmed in 602,214 people worldwide, carrying a mortality of approximately 2.7415%. Current management of COVID-19 is supportive, and respiratory failure from Acute Respiratory Distress Syndrome (ARDS) is the leading cause of mortality. Indian government has recently revealed their plan for using homeopathic remedies as their leading treatment against COVID-19 infections. This work reveals that mercury containing solutions might have the highest effect against SARS-CoV-2, especially at really low concentrations. It has been also postulated that the homeopathic mercury dilutions can be activated by the presence of electromagnetic and natural bio-energetic fields and a strong correlation was found between the antiviral effects of mercury and the distance of an electromagnetic device (mobile phone).

Keywords: Homeopathy; Mercury; Toxicity; Antiviral; Covid-19

Introduction

A novel human corona virus that is now named Severe Acute Respiratory Syndrome Corona Virus 2 (SARS-CoV-2) (formerly called HCoV-19) emerged in Wuhan, China, in late 2019 and is now causing a pandemic [1]. The epidemic of SARS-CoV was successfully contained through public health interventions, including case detection and isolation. Transmission of SARS- CoV occurred mainly after days of illness [2] and was associated with modest viral loads in the respiratory tract early in the illness, with viral loads peaking approximately 10 days after symptom onset [3]. A key to tackling this pandemic is to understand the receptor recognition mechanism of the virus, which regulates its infectivity, pathogenesis and host range. SARS- CoV-2 and SARS-CoV recognize the same receptor Angiotensin Converting Enzyme 2 (ACE2)- in humans [4]. Viruses were isolated from patients and sequenced. Phylogenetical analysis revealed that it is a lineage B beta-CoV and closely related to a SARS-Like (SL) CoV, RaTG13, discovered in a cave of Yunnan, China, in 2013 [5]. They share about 96% nucleotide sequence identities, suggesting that SARS-CoV-2 might have emerged from a Bat SL-CoV.

So far, no drugs, monoclonal antibodies or vaccines have been approved to treat human infections due to corona viruses. Several pre-existing and potential drug candidates, including chloroquine and remdesivir, have been considered the discovery and marketing of new compounds often require months to years. However, in the face of the

Citation: Tamijia M, Putzenstofenb H, Lippaa C, Pancaldic G. Homeopathic Dilutions of Mercury Chloride as an Effective and Affordable Treatment for SARS-CoV-2. J Surg Surgic Case Rep. 2020;1(2):1006.

Copyright: © 2020 Jamie Hind

Publisher Name: Medtext Publications LLC Manuscript compiled: Sep 04th, 2020

*Corresponding author: Masshiro Tamijia, Inchiki Institute, Namba-Ku, Kujiji, Dokonimo, 606-8585, Japan, E-mail: masshiro.tamiji@protonmail.com

global spread of COVID-19, effective interventions for severe cases of COVID-19 are urgently required [6]. According to the current clinical guideline in China and the experiences in the treatment of SARS or Middle East Respiratory Syndrome (MERS) patients, both conventional medicine and Traditional Chinese Medicine (TCM) are used for the treatment of patients with infection of SARS-CoV-2 in China [7]. Considering the clinical success in these severe viral diseases, Homoeopathy as an adjuvant to the standard of care should be explored in the management of COVID-19 patients. The health advisory is given by The Ministry of Ayurveda, Yoga & Naturopathy, Unani, Siddha, and Homoeopathy (AYUSH) against corona virus infection included Homoeopathic medicine Arsenicum album - 30 as a possible preventive measure for flu-like illness such as corona virus infection.

Experimental

Virus strain

HCoV-19 nCoV-WA1-2020 (MN985325.1) was the strain used in this experiment [8].

Dilutions

First an ultra-pure mercury (99.9995%) was acquired by an industrial producer (Sigma-Aldrich, St. Louis, Missouri, United States). As the solubility of mercury in water is close to zero, this substance could only be used as a reference. For the actual dilutions, 99% pure HgCl2 was acquired from an industrial producer (Supelco, Sigma-Aldrich, St. Louis, Missouri, United States) and diluted in ultra-purified, double-blessed water (Holy-con, Hyder- abad, India). For comparison, conventional ultra-purified water was also used as a control (Millipore, Burlington, Massachusetts, United States). HgCl₂ was then diluted into water as in (Table 1) and various types of successions were applied in order to potentialize the medium.

In vitro experiments

VeroE6 cells (Manassas, Virginia, United States) were used for testing. Cells were grown in Dulbecco's modified Eagle's essential

medium (Thermofisher, Waltham, Massachusetts, United States) supplemented with penicillin (50 unit/mL), lavandulyl acetate (3 μ g/L), malvin (3 μ g/L), piperidine (3 μ g/L), myristicin (3 μ g/L) and 7% fetal bovine serum. The SARS-CoV-2 virus (AI 4/2020, National Institute of Infectious Diseases, Tokyo, Japan) was tested for 12 hours.

A monolayer of cells was put in a 48-well plate inoculated with 50 $\mu L/well$ of viral suspension. After viral adsorption at 37 degC for 30 minutes, the cells were incubated with the maintenance medium in a CO_2 incubator for 12 h. For the detection of infected cells, they were washed with TBS (50 mM Tris-HCl pH 7.5, 300 mM NaCl) and fixed with 4% PFA for 20 min at Room Temperature (RT) followed by membrane permeability with 0.1% Triton X in TBS for 5 min at room temperature.

Kirlian effect

A Kirlian photometer (KIR-47-V, Kirstar, Krasnojarsk, Russia) was used to check the intensity and color saturation of the Kirlian aura produced by the different samples. One drop (0.1 ml) of solution was put on the surface of the spectral meter antenna support before a voltage of 160,000 V was applied. The test was repeated 25 times for each dilution.

Electromagnetic dependency testing

A radionic (EMT) device (SPOOKY2 Radionics v1.2, Berkana Labs, UK) was put in an electromagnetically insulated chamber (1 m \times 1 m \times 10 m) protected by an external layer of copper (4 mm), a first interlayer of lead (12 mm), a second interlayer of dissipative glass (1 mm) and an internal layer of copper (4 mm). With the cell culture on one side, the radionic device (set at a rate of 1607450) was kept at fixed distances. The effect of distance was then monitored, for the highest dilution.

Biological testing

Various biological markers have been used to assess the viability of cells treated with SARS-CoV-2 and mercury dilutions. Cells were stained with anti-SARS corona virus envelope antibody (red), Phalloidin to visualize F-actin (green), and DAPI to stain nuclei (blue).

Results

Figure 1 shows the death rate of SARS-CoV-2 as a function of dilution. It can be observed that at higher concentrations the death rate of the virus is quite high. This is because of the extreme toxicity of HgCl₂. Reaching a dilution of about 10 M to 3 M, the death rate is approximately zero. This range cannot be considered effective as clearly explained by Samuel Hahnemann himself [9]. The ineffective range usually goes at least until a concentration of about 10 M to 7 M [10], but in our case we clearly established that 10 M to 7 M reaches a death rate of about 20%, 4 times higher than 10 M to 6 M. After 10 M to 7 M, the death rate spikes, reaching about 90% at 10 M to 9 M. No spike after 10 M to 7 M was observed in the control samples which used simple water, proving that blessed water is more effective at homeopathic dilutions.

Figure 2 shows the results of a Kirlian aura experiment performed at standardized conditions [11] on a drop of solution with a concentration of 10 M to 7 M. A few characteristics can be easily observed: first, the color of the aura is a strong pink, with some blue plumes in the central region and a few white stripes in the bottom. The presence of the blue plume was explain in detail by Helmuth Putzenstofen in his previous works [12]. In brief, blue plumes are a

sign o positive relief and healing, when observed on water drops. Even if this sample was not exactly just a drop of water, we can consider the presence of a blue plume as a sign that the drug is effective. White stripes are due to the limit of the instrument: the actual color of the stripes was in the ultraviolet region, where we know that most of the radionic healing frequencies can be found [13]. Additionally, the bioenergetics field of the drops was so intense that caused a natural swirling, clockwise.

Not all samples were able to produce a stable Kirlian aura. Figure 3 shows the relationship between the color saturation and the intensity of the Kirlian aura, as obtained on the different samples. Samples prepared with normal distilled water, did not produce a stable Kirlian aura at all. For the blessed water, the saturation and intensity of the aura resulted to be correlated to the dilution, with higher dilutions having higher intensity and saturation. On the other hand, the three highest dilutions, associated with good antiviral effects, had similar saturations.

The vitality of cells was evaluated using standard fluorescence probes and a fluorescence microscope. Results are shown in Figure 4. It can be observed that while at a dilution of 10 M to 9 M all viruses and infected cells are dead, at a concentration of 10 M to 4 M the infected cells are all still alive. Of course it would be better to be able to specifically kill the viruses, healing the cells, but at the time-frame of this experiment all cells were already infected beyond recovery.




Figure 1: Death rate of SARS-CoV-2 infected cells after treatment with dilutes solutions of mercury, at 12 hours.



Figure 2: Visible Kirlian aura of one drop of 10-7 M HgCl2 solution in doubleblessed water.

Figure 5 shows the influence of the electromagnetic field on the antiviral properties of ${\rm HgCl}_2$ at homeopathic dilutions. While previous experiments were performed in a standard laboratory room, this final experiment took place in an electromagnetically insulated device [14] that was produced to clean ether of 99.99993% of the electromagnetic waves, going from a frequency of 10 m to 12 m (gamma rays) to 10 m to 1 m (ghost radio waves) [15].

The results of Figure 5 clearly demonstrates that the homeopathic antiviral effect of ${\rm HgCl}_2$ is activated by an electromagnetic field. The frequency produced by a standard radionic equipment was adequate to activate the solution and kill about 90% of SARS-CoV-2 in less than 12 hours.

The combination of different techniques is a clear demonstration of the power of homeopathic remedies but also a reminder that these




Figure 3: Kirlian aura parameters: intensity (in millicandles) vs. colour saturation




Figure 4: Results of the fluorescence microscope testing performed on the samples at 10-9 M and 10-4 M concentrations of HgCl₂. Blue staining for healthy nucleus, green for action and red for death cells.




Figure 5: Kirlian aura parameters: intensity (in millicandles) vs. colour saturation.

Table 1: Dilutions and successions.

Sample	Dilution	Succussions
1	10 M - 1 M	3 (against blessed book)
2	10 M -2 M	4 (against blessed book)
3	10 M -3 M	3 (against vial of infected blood)
4	10 M -4 M	3 (against vial of infected blood)
5	10 M -5 M	4 (against vial of infected blood)
6	10 M -6 M	3 (against vial of infected blood)
7	10 M -7 M	3 (against vial of infected blood)
8	10 M -8 M	4 (against vial of infected blood)
9	10 M -9 M	3 (against vial of infected blood)

solutions need to be properly prepared [16] and activated with the right electromagnetic field [17]. Once properly used, HgCl_2 has the potentiality to solve the SARS-CoV-2 pandemic also in developing countries.

Conclusions

This paper focuses on the use of extremely safe $\mathrm{HgCl_2}$ solutions for the treatment of SARS-CoV-2 patients. *In vitro* experiments were able to demonstrate that the effect of homeopathic remedies increases while decreasing the concentration. Moreover, it has also been demonstrated that the antiviral effects of $\mathrm{HgCl_2}$ must be activated by a proper electromagnetic device, such as a radionic equipment. Kirlian aura measurements were also able to establish that the solutions of $\mathrm{HgCl_2}$ have clear healing properties.

References

- Li D, Zhao MY, Tan THM. What makes a foodborne virus: comparing coronaviruses with human noroviruses. Curr Opin Food Sci. 2021;42(1-7).
- Lipsitch M, Cohen T, Cooper B, Robins JM, Ma S, James L, et al. Transmission dynamics and control of severe acute respiratory syndrome. Science. 2003;300(5627):1966-70.
- Peiris JSM, Chu CM, Cheng VCC, Chan KS, Hung IF, Poon LL, et al. Clinical progression and viral load in a community outbreak of coronavirus-associated SARS pneumonia: a prospective study. Lancet. 2003;361(9371):1767-72.
- Li F, Li W, Farzan M, Harrison SC. Structure of SARS coronavirus spike receptorbinding domain complexed with receptor. Science. 2005;309(5742):1864-8.
- Zhou P, Yang XL, Wang XG, Hu B, Zhang L, Zhang W, et al. A pneumonia outbreak associated with a new coronavirus of probable bat origin. Nature. 2020;579(7798):270-3.
- Colson P, Rolain JM, Raoult D. Chloroquine for the 2019 novel coronavirus SARS-CoV-2. Int J Antimicrob Agents. 2020;55(3):105923.
- Li G, Clercq EDe. Therapeutic options for the 2019 novel coronavirus (2019-ncov). 2020;Nat Rev Drug Discov. 2020;19(3):149-50.
- Holshue ML, DeBolt C, Lindquist S, Lofy KH, Wiesman J, Bruce H, et al. First case of 2019 novel coronavirus in the United States. N Engl J Med. 2020;382(10):929-36.
- P. Fisher. What is homeopathy? an introduction. Frontiers Bioscience. 2012;4:1669-82.
- Ernst E, Kaptchuk TJ. Homeopathy revisited. Archives Inter Med. 1996;156(19):2162-64.
- 11. AJ Watkins, WS Bickel. The Hundredth Monkey. 2010;209.
- 12. Putzestofen H. Nature. 2004;209.
- $13. \ \, \text{Tansley DV. Radionics interface with the ether-fields. Random House.} \ 2011.$
- 14. Roberts J. 2003:5-16.
- 15. Scofield T. The radionic principle: mind over matter. Radionic J. 2007;52(1-2):5-16.
- 16. Arora S, Harris T, Scherer C. Clinical safety of a homeopathic preparation. Biomed Therapy. 2000;18(2):222-5.
- Macklis RM. Magnetic healing, quackery, and the debate about the health effects of electromagnetic fields. Annals Inter Med. 1993;118(5):376-83.